




# Harlestone Cycle Stand

## Galvanised, Galvanised & Colour or Stainless



The Harlestone Cycle Stand is a shaped tubular cycle stand. The design allows the frame of the bicycle to be secured by the users own security lock. The Harlestone Cycle Stand is suitable for securing two bicycles. The Harlestone Cycle Stand is available in galvanised steel, Galvanised & Coated or Grade 304 Stainless Steel, with ragged feet for casting into new concrete or flanged feet for bolting to an existing surface.

The practical and durable nature of the Harlestone Cycle Stand stand ensures that the stand will complement any environment and offers an aesthetically pleasing alternative to the Sheffield Cycle Stand.



Part Number	Description	Weight (kg)
138 515 215	Galvanised - Concrete In	10kg
138 515 210	Galvanised - Bolt Down	10kg
138 515 216	Galvanised & Black - Concrete In	10kg
138 515 211	Galvanised & Black - Bolt Down	10kg
138 515 217	Galvanised & Colour - Concrete In	10kg
138 515 212	Galvanised & Colour - Bolt Down	10kg
138 515 219	Stainless Steel Grade 304 - Concrete In	10kg
138 515 214	Stainless Steel Grade 304 - Bolt Down	10kg

### Product details

- 48mm diameter tube
- 750mm x 810mm (height x length)
- Concrete in 300mm (below ground)
- Round flange plate – 133mm x 5mm
- Each stand requires 6 bolts (bolt down)

### Installation & use

Bolt down to a suitable concrete surface.  
 Telescopic, removable and concrete in are supplied with welded fixing spikes to ensure firm ground anchorage into concrete.  
 Telescopic, removable and concrete in require a suitable excavated hole for installing into concrete.  
 Products are guaranteed for 12 months (if installed and used correctly).



[www.autopa.co.uk](http://www.autopa.co.uk)  
 +44 (0)1788 550556

AUTOPA Limited  
 Cottage Leap, Rugby, Warwickshire CV21 3XP

